## Aleutian Islands and Atka-Amlia Islands Management Areas Salmon Annual Management Report, 2009

by


Aaron D. Poetter

and

**Matthew Keyse** 

May 2010







#### **Symbols and Abbreviations**

The following symbols and abbreviations, and others approved for the Système International d'Unités (SI), are used without definition in the following reports by the Divisions of Sport Fish and of Commercial Fisheries: Fishery Manuscripts, Fishery Data Series Reports, Fishery Management Reports, and Special Publications. All others, including deviations from definitions listed below, are noted in the text at first mention, as well as in the titles or footnotes of tables, and in figure or figure captions.

Weights and measures (metric)		General		Measures (fisheries)	
centimeter	cm	Alaska Administrative		fork length	FL
deciliter	dL	Code	AAC	mideye to fork	MEF
gram	g	all commonly accepted		mideye to tail fork	METF
hectare	ha	abbreviations	e.g., Mr., Mrs.,	standard length	SL
kilogram	kg		AM, PM, etc.	total length	TL
kilometer	km	all commonly accepted		-	
liter	L	professional titles	e.g., Dr., Ph.D.,	Mathematics, statistics	
meter	m		R.N., etc.	all standard mathematical	
milliliter	mL	at	@	signs, symbols and	
millimeter	mm	compass directions:		abbreviations	
		east	E	alternate hypothesis	$H_A$
Weights and measures (English)		north	N	base of natural logarithm	e
cubic feet per second	ft <sup>3</sup> /s	south	S	catch per unit effort	CPUE
foot	ft	west	W	coefficient of variation	CV
gallon	gal	copyright	©	common test statistics	$(F, t, \chi^2, etc.)$
inch	in	corporate suffixes:		confidence interval	CI
mile	mi	Company	Co.	correlation coefficient	
nautical mile	nmi	Corporation	Corp.	(multiple)	R
ounce	OZ	Incorporated	Inc.	correlation coefficient	
pound	lb	Limited	Ltd.	(simple)	r
quart	qt	District of Columbia	D.C.	covariance	cov
yard	yd	et alii (and others)	et al.	degree (angular )	0
		et cetera (and so forth)	etc.	degrees of freedom	df
Time and temperature		exempli gratia		expected value	E
day	d	(for example)	e.g.	greater than	>
degrees Celsius	°C	Federal Information		greater than or equal to	$\geq$
degrees Fahrenheit	°F	Code	FIC	harvest per unit effort	HPUE
degrees kelvin	K	id est (that is)	i.e.	less than	<
hour	h	latitude or longitude	lat. or long.	less than or equal to	≤
minute	min	monetary symbols		logarithm (natural)	ln
second	S	(U.S.)	\$, ¢	logarithm (base 10)	log
		months (tables and		logarithm (specify base)	log <sub>2,</sub> etc.
Physics and chemistry		figures): first three		minute (angular)	•
all atomic symbols		letters	Jan,,Dec	not significant	NS
alternating current	AC	registered trademark	®	null hypothesis	$H_{O}$
ampere	A	trademark	ТМ	percent	%
calorie	cal	United States		probability	P
direct current	DC	(adjective)	U.S.	probability of a type I error	
hertz	Hz	United States of		(rejection of the null	
horsepower	hp	America (noun)	USA	hypothesis when true)	α
hydrogen ion activity (negative log of)	pН	U.S.C.	United States Code	probability of a type II error (acceptance of the null	
parts per million	ppm	U.S. state	use two-letter	hypothesis when false)	β
parts per thousand	ppt,		abbreviations	second (angular)	"
	<b>%</b> 0		(e.g., AK, WA)	standard deviation	SD
volts	V			standard error	SE
watts	W			variance	
				population	Var
				sample	var

#### FISHERY MANAGEMENT REPORT NO. 10-20

# ALEUTIAN ISLANDS AND ATKA-AMLIA ISLANDS MANAGEMENT AREAS SALMON ANNUAL MANAGEMENT REPORT, 2009

by
Aaron D. Poetter
Alaska Department of Fish and Game, Division of Commercial Fisheries, Kodiak

and

Matthew Keyse Alaska Department of Fish and Game, Division of Commercial Fisheries, Kodiak

> Alaska Department of Fish and Game Division of Sport Fish, Research and Technical Services 333 Raspberry Road, Anchorage, Alaska, 99518-1565

> > May 2010

The Fishery Management Reports series was established in 1989 by the Division of Sport Fish for the publication of an overview of management activities and goals in a specific geographic area, and became a joint divisional series in 2004 with the Division of Commercial Fisheries. Fishery Management Reports are intended for fishery and other technical professionals, as well as lay persons. Fishery Management Reports are available through the Alaska State Library and on the Internet: <a href="http://www.sf.adfg.state.ak.us/statewide/divreports/html/intersearch.cfm">http://www.sf.adfg.state.ak.us/statewide/divreports/html/intersearch.cfm</a>. This publication has undergone regional peer review.

Aaron D. Poetter, Alaska Department of Fish and Game, Division of Commercial Fisheries, 211 Mission Road, Kodiak, AK 99615, USA

and

Matthew Keyse Alaska Department of Fish and Game, Division of Commercial Fisheries, 211 Mission Road, Kodiak, AK 99615, USA

This document should be cited as:

Poetter, A. D. and M. Keyse. 2010. Aleutian Islands and Atka-Amlia Islands management areas salmon annual management report, 2009. Alaska Department of Fish and Game, Fishery Management Report No. 10-20, Anchorage.

The Alaska Department of Fish and Game (ADF&G) administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act (ADA) of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

#### If you believe you have been discriminated against in any program, activity, or facility please write:

ADF&G ADA Coordinator, P.O. Box 115526, Juneau, AK 99811-5526 U.S. Fish and Wildlife Service, 4401 N. Fairfax Drive, MS 2042, Arlington, VA 22203 Office of Equal Opportunity, U.S. Department of the Interior, 1849 C Street NW MS 5230, Washington DC 20240

The department's ADA Coordinator can be reached via phone at the following numbers:

(VOICE) 907-465-6077, (Statewide Telecommunication Device for the Deaf) 1-800-478-3648, (Juneau TDD) 907-465-3646, or (FAX) 907-465-6078

For information on alternative formats and questions on this publication, please contact:

ADF&G Division of Sport Fish, Research and Technical Services, 333 Raspberry Road, Anchorage AK 99518 (907) 267-2375.

## **TABLE OF CONTENTS**

	Page
LIST OF TABLES	ii
LIST OF FIGURES	ii
ABSTRACT	1
INTRODUCTION	1
Commercial Salmon Fishing	1
Subsistence Salmon Fishing	2
Salmon Escapement, Distribution, and Run Timing	
2009 SEASON	4
Commercial Harvest	4
Subsistence and Personal Use Harvest	4
Escapement	4
ACKNOWLEDGMENTS	4
REFERENCES CITED	5
TABLES AND FIGURES	7

## LIST OF TABLES

Table	Page	
1.	Aleutian Islands Area (excluding Atka-Amlia Islands Area) commercial salmon harvests in numbers of	
	fish by year, 1911-20098	
2.	Atka-Amlia Islands Area commercial salmon harvests in numbers of fish, by year, 1992-200910	
3.	Estimated subsistence harvest for Unalaska Island, 1985-2009.	
4.	Estimated Unalaska Island subsistence harvests of sockeye and coho salmon by major location, 2009 13	
5.	Adak-Kagalaska islands estimated personal use harvest, 1988-1997 and Adak District estimated subsistence harvest 1998-2009.	
6.	Summer Bay Lake annual weir counts of salmon, by species and year, 1998-2001	
7.	McLees Lake annual weir counts of salmon by species and year, 2001-2009.	
8.	Sockeye salmon daily and cumulative escapement counts through McLees Lake weir, 2009	
9.	Unalaska Lake and Creek peak salmon escapement estimates in number of fish, 1961-2009	
10.	Estimated salmon escapement from aerial and foot surveys in the Aleutian Islands Area, 2009	
	LIST OF FIGURES	
Figure	Page	
1.	Map of the Aleutians Islands and Alaska Peninsula salmon management areas (Area M), and the Atka- Amlia Islands Management Area (Area F)	
2.	Map of the Atka-Amlia Management Area from Seguam Pass to Atka Pass, with statistical salmon	
	fishing areas shown.	
3.	Map of the Aleutian Islands Management Area from Unimak Pass to Umnak Island, with statistical	
	salmon fishing areas shown	
4.	Map of Unalaska Bay vicinity. 24	

#### **ABSTRACT**

The 2009 commercial salmon harvest in the Aleutian Islands Management Area (AIMA) consisted primarily of 1,625,910 pink salmon, *Oncorhynchus gorbuscha*. The entire 2009 AIMA harvest occurred around the island of Unalaska. Only five years (2000 and 2006 through 2009) have had a commercial salmon harvest in the AIMA since 1995. No commercial salmon fishing has occurred in the Atka-Amlia Islands Management Area since 1996.

Subsistence salmon harvest information is compiled from permits that are returned when subsistence fishing activities are completed. In 2009, the estimated Unalaska District subsistence salmon harvest was 5 Chinook O. tshawytscha salmon, 3,262 sockeye O. nerka salmon, 620 coho O. kisutch salmon, 444 pink salmon, and 182 chum O. keta salmon. The Adak District estimated subsistence harvest was 25 sockeye salmon in 2009, which was the lowest recorded harvest of sockeye salmon in this area.

Salmon escapement information for the AIMA and Atka-Amlia Islands Management Areas is sporadically collected. Salmon enumeration weirs have been operated at Summer Bay Lake (1998-2001) and McLees Lake (2001-present) on Unalaska Island to assess salmon escapement. In 2009, 10,120 sockeye salmon were counted at the McLees Lake weir whereas in 2003, 101,793 sockeye salmon were counted. One day of aerial survey work was conducted in 2009 and an estimated 160,000 pink salmon were documented in nine Unalaska Island streams. Foot surveys of Unalaska road-system streams were not conducted in 2009.

Key words: Aleutian Islands, Atka-Amlia Islands, annual management report, commercial salmon harvest, subsistence salmon harvest, Chinook salmon, *Oncorhynchus tshawytscha*, sockeye salmon, *Oncorhynchus nerka*, coho salmon, *Oncorhynchus kisutch*, pink salmon, *Oncorhynchus gorbuscha*, chum salmon, *Oncorhynchus keta*, sustainable escapement goal, AMR, SEG.

#### INTRODUCTION

The Aleutian Islands Management Area includes the State waters west of Cape Sarichef Light and Scotch Cap (both located on Unimak Island), and the Pribilof Islands, but excludes the Atka-Amlia Islands Management Area (5 AAC 12.100; Figure 1). The Atka-Amlia Islands Management Area encompasses all Aleutian Islands waters between Seguam Pass (172° 50.00' W. long.) and Atka Pass (175° 23.00' W. long.; 5 AAC 11.101; Figure 2). The Alaska Department of Fish and Game (ADF&G) has been responsible for managing the salmon resources of the Aleutian Islands and Atka-Amlia Islands Management areas since 1960. In this report we present commercial and subsistence salmon harvest and escapement information for these areas.

The Aleutian Islands Management Area is part of the Alaska Peninsula Salmon Management Area (Area M). Purse seines, hand purse seines, and beach seines are the only legal gear types allowed to fish for salmon in the Aleutian Islands Area (5 AAC 12.330).

The Alaska Board of Fisheries (BOF) created the Atka-Amlia Islands Management Area (Area F) in 1992 to provide a harvest opportunity for local fishermen on local area pink salmon *Oncorhynchus gorbuscha* runs. Legal harvest methods for the Atka-Amlia Islands Management Area include both set gillnetting and purse seining (5 AAC 11.333). To date, only set gillnet fishermen have reported commercial salmon harvests from the Atka-Amlia Islands Area (Shaul and Dinnocenzo 2004). Area M Commercial Fisheries Entry Commission (CFEC) permits are also valid in Area F.

#### **COMMERCIAL SALMON FISHING**

Runs of sockeye *Oncorhynchus nerka*, coho *O. kisutch*, pink, and chum *O. keta* salmon occur in Aleutian Islands streams; however, poor salmon markets have generally limited commercial salmon harvests in both the Unalaska Island and Atka-Amlia Island fisheries. Pink salmon are the dominant species in the Aleutian Islands, and runs tend to be stronger during even-numbered years (Shaul and Dinnocenzo 2004). Aleutian Islands harvest data from 1928-1950 cannot be separated from Alaska Peninsula salmon harvests, because the total number of fish harvested was estimated from the number of cases of salmon canned for both areas. There was occasional fishing near Umnak Island during the 1950s and early 1960s, and a fishing expedition to Attu Island in 1963 (Figure 1; Shaul and Dinnocenzo 2004). Prior to 1979, fishermen salted and sold some fish (usually sockeye salmon). Processors in Unalaska-Dutch

Harbor or Akutan purchased most of the commercially harvested salmon from 1979 through 1988. Because of the decline in demand for pink salmon after 1988, processing facilities in Dutch Harbor did not purchase salmon and any harvest was transported to the Alaska Peninsula for processing. Since 2006, markets have developed for pink salmon, creating a renewed interest in the Aleutian Islands salmon runs. In 2009, portions of the harvest were processed in King Cove, Sand Point, Akutan, and Dutch Harbor.

Historically there was little commercial harvest during odd-numbered years in the Aleutian Islands Area. Odd-year average pink salmon harvest for 1989-2007 was 102,386 fish (only 1989 and 2007 had harvest) while the even-year average harvest for 1990-2008 was 348,625 fish (Table 1). The largest Aleutian Islands Area pink salmon harvest of 2,597,461 fish was in 1980. Of these, approximately 2.0 million pink salmon were harvested in the Makushin Bay Section (Figure 3). Since 1995, only five years (2000 and 2006 through 2009) have had a commercial salmon fishery take place in the Aleutian Islands Area and all of the commercial harvest has occurred around Unalaska Island (Table 1).

Small commercial harvests occurred in the Atka-Amlia Islands Management Area between 1992 and 1996 with no commercial effort since that time (Table 2). Interest in this fishery diminished due to lack of markets, high processing costs, and low volumes of fish (Holmes 1997).

#### SUBSISTENCE SALMON FISHING

Under Alaska state law, subsistence fishing allows the taking of fish by specified means by a resident of the State of Alaska domiciled in a rural area (AS 16.05.940 (31)). Subsistence uses of wild resources are defined as noncommercial, customary, and traditional uses for a variety of purposes (AS 16.05.940 (33)). These include: direct personal or family consumption as food, shelter, fuel, clothing, tools, or transportation, for the making and selling of handicraft articles out of nonedible by-products of fish and wildlife resources taken for personal or family consumption, and for the customary trade, barter, or sharing for personal or family consumption. Whenever it is necessary to restrict harvests, subsistence fisheries have a preference over other uses of the stock (AS 16.05.258(b)).

Personal use fisheries are different from subsistence fisheries because they do not meet the criteria established by the Joint Board of Fisheries and Game for identifying customary and traditional fisheries (5 AAC 99.010), or because they occur within nonsubsistence areas where dependence upon subsistence is not a principle characteristic of the economy, culture, and way of life (AS 16.05.258(c)). Personal use fisheries provide opportunities for harvesting fish with gear other than rod and reel in nonsubsistence areas. However, personal use fisheries are not prioritized over other uses (sport and commercial fisheries) during times of restricted harvest opportunity in the same way that subsistence fisheries are.

Subsistence salmon fishing is important to Aleutian Islands communities (Tables 3 and 4; Veltre and Veltre 1981, 1983). However, due to the remoteness of most villages in the Aleutians Islands Area, subsistence salmon fishing permits are only required in the larger communities in the Unalaska and Adak districts (5 AAC 01.380; Shaul and Dinnocenzo 2005). Subsequently, Unalaska and Adak are the only communities from which subsistence information (from returned permits) is compiled on an annual basis.

Because of a large population increase and an increase in subsistence fishing effort on Unalaska Island in recent years, subsistence restrictions have become necessary to protect salmon stocks in some areas. The number of permits increased from 65 in 1985 to a high of 231 in 2002 (Table 3). Since 2002, the number of permits has fluctuated between a low of 178 (2007) and a high of 227 (2003; Table 3).

Sockeye salmon are the preferred species in the Unalaska subsistence fishery. Most of the sockeye salmon catch in recent years was harvested in Reese Bay, presumably bound for McLees Lake (Figure 4). The estimated Unalaska District average annual sockeye salmon harvest peaked in 2002 at 5,267 fish and has since ranged between 1,722 and 4,844 fish (Table 3).

Unalaska Lake sockeye salmon are important to local residents due to the lake's proximity to the community. Beginning in 1997, the waters closed to subsistence fishing were expanded around the outlet of Unalaska Lake to protect this small stock of sockeye salmon and to increase escapements (5 AAC 01.375).

The BOF eliminated subsistence salmon fishing in the Adak District from 1988 through 1997 and created a personal use salmon fishery for the residents of Adak and Kagalaska islands in response to a large influx of military personnel. After 1993, the personal use effort decreased from previous years due to reductions in U.S. Navy personnel stationed at Adak. Fishing effort in this area declined during 1993-1996 when the U.S. Navy phased out operations, but the civilian population of Adak rebounded briefly in 1997 because of military base cleanup work. In 1998, the BOF reinstated the subsistence salmon fishery in the Adak District. From 1998 through 2007, the number of Adak District subsistence permits has ranged from one in 2006 and 2009 to 17 in 2001, for an average of 7 permits issued (Table 5).

In the past, Atka subsistence data were collected by interviews conducted by the ADF&G Subsistence Division. Due to budget reductions, the last survey was conducted in 1994 (Shaul and Dinnocenzo 2004).

#### SALMON ESCAPEMENT, DISTRIBUTION, AND RUN TIMING

The Aleutian Islands have runs of sockeye, coho, pink, and chum salmon. There are no known Chinook *O. tshawytscha* salmon producing streams in the Aleutian Islands. Streams on Unalaska, Umnak, Atka, Amlia, Adak, and Attu Islands produce relatively large pink salmon runs during even-numbered years (Figure 1). Tanaga, Kanaga, and Kiska Islands (Figure 1) each have at least one important pink salmon stream.

There is little salmon escapement information collected for the Aleutian Islands and Atka-Amlia Islands areas. Poor weather, remoteness, unavailability of suitable aircraft, and the high cost of aircraft charters limit surveys. The United States Energy Research and Development Administration conducted limited studies on Amchitka Island in 1977 (Simenstad et al. 1977; Valdez et al. 1977). A salmon escapement and distribution study of the entire Aleutian Island chain was conducted by the ADF&G in 1982 (Holmes 1997). The ADF&G conducted repetitive surveys on some Atka and Amlia Islands streams in 1992, 1993, and 1994 (Holmes 1995). The U.S. Fish and Wildlife Service (USFWS) conducted salmon abundance and distribution research on Adak Island in 1993 and 1994 (Palmer 1995). Foot and aerial surveys have been conducted by ADF&G on a more regular basis on some streams on Unalaska Island; however, these survey efforts have been limited. The resulting data are incomplete and of limited use in fisheries management.

In response to an oil spill from the 1997 grounding of the M/V Kuroshima, a weir was operated by ADF&G at Summer Bay Lake, on Unalaska Island, from 1998 through 2001 (Table 6; Figure 4; Honnold et al. 1999; McCullough 2000). The FWS has also operated a weir at McLees Lake on Unalaska Island from 2001 through 2009, and plans to continue to operate it through 2010 (Table 7; Palmer 2003; personal communication, Derek R. Hildreth, USFWS fisheries biologist). These projects documented larger runs of sockeve salmon than had been previously observed in these streams. Sockeve salmon escapements into McLees Lake increased between 2001 and 2003 when the run peaked at 101,793 fish, but then decreased to fewer than 9,000 fish in 2008 (Tables 7 and 8). Aerial surveys confirmed that the sockeye salmon escapements into McLees Lake during 2001 and 2002 were unusually large; however, in 2003 it was not possible to survey McLees Lake until September 1, at which point most of the fish had already spawned and died. Historical aerial survey information was deemed to be unreliable and did not correlate with the weir counts. No aerial surveys of McLees Lake have occurred since 2003. The sustainable escapement goal adopted in 1993 of 4,000 to 6,000 sockeye salmon for McLees Lake was eliminated in 2004 because no commercial fishery targets those stocks. Due to weak runs, the subsistence salmon fishing closed waters markers were extended by emergency order for the conservation of McLees Lake sockeye salmon in 2006, 2008, and 2009. These are the only years where subsistence harvest was restricted.

Unalaska Lake did not reach its minimum sockeye salmon peak count escapement objective of 400 fish in numerous years between 1987 and 2006 (Table 9). In 1997, the waters closed to subsistence fishing at the mouth of the stream were increased to conserve additional fish for escapement (5 AAC 01.375). Between 1998 and 2004, sockeye salmon escapements to this system have been generally adequate, but only 9 fish were documented in 2005 and 12 fish in 2006 under unfavorable survey conditions (Table 9). Surveys have not been conducted on Unalaska Lake since 2006.

#### **2009 SEASON**

The 2009 commercial salmon fishery in the Aleutian Islands and Atka-Amlia areas was managed by the ADF&G staff in Sand Point. Unalaska District salmon subsistence permits were issued by the ADF&G staff in Dutch Harbor while Adak subsistence salmon permits were issued by ADF&G in Cold Bay.

#### COMMERCIAL HARVEST

In 2009, the commercial harvest in the Aleutian Islands Area was 1,625,910 pink salmon (Table 1). In addition, 703 sockeye, 16 coho, and 2,005 chum salmon were harvested. The increased pink salmon harvests over the past three years have been mainly attributed to increased harvester and processor interest. All the commercial harvest was around Unalaska Island and most of that harvest occurred in the Makushin Bay area. There was no commercial salmon harvest in the Atka-Amlia Islands Area in 2009.

#### SUBSISTENCE AND PERSONAL USE HARVEST

A total of 215 subsistence permits were issued for the Unalaska District in 2009, which was 11 permits more than in 2008 and 14 permits more than the average from 2004 through 2008 (Table 3). The highest number of permits issued was 231 in 2002, and coincided with the peak harvest of an estimated 6,252 salmon. The total estimated harvest of 4,513 salmon in 2009 was more than the estimated 2008 catch of 3,243 fish, and more than the 2004-2008 average estimated harvest of 4,062 salmon (Table 3). An estimated 1,337 sockeye salmon, which represented 67% of the total Unalaska District harvest (1,989), were caught in Reese Bay (Table 4). The Unalaska Lake sockeye salmon harvest was an estimated 267 fish (Table 4). The 2009 total estimated sockeye salmon subsistence harvest of 1,989 fish was considerably lower than the 2004-2008 average harvest of 2,910 fish. Sockeye salmon subsistence harvests, from 2006 through 2008, were the lowest for the Unalaska District since 1996 (Table 3).

The 2009 estimated coho salmon harvest of 620 fish was more than the recent five year average (2004-2008) of 489 fish. The pink salmon subsistence harvest around Unalaska Island in 2009 was an estimated 444 fish (Table 3). Chinook and chum salmon are not abundant in Unalaska Island waters and account for only a small portion of the subsistence harvest. In 2009, an estimated 5 Chinook and 182 chum salmon were caught in the Unalaska District subsistence fishery (Table 3).

In the Adak District, one subsistence salmon permit was issued in 2009, well below the 1999-2008 average of seven permits (Table 5). The Adak estimated subsistence harvest consisted of 25 sockeye salmon (Table 5).

#### **ESCAPEMENT**

One day of aerial surveying, July 30, was conducted in the Aleutian Islands Management Area in 2009 and 160,000 pink salmon were documented in 12 Unalaska Island streams (Table 10). No foot surveys were conducted on Summer Bay creek in the Dutch Harbor vicinity (Table 10).

During 2009, the FWS again installed and operated a weir at the outlet of McLees Lake (which empties into Reese Bay) from June 1 through July 19 (Table 8; Figure 4). A total of 10,120 sockeye salmon were counted through the weir. This was the second smallest escapement documented at the McLees Lake weir since it began operation in 2001 (Table 7).

#### ACKNOWLEDGMENTS

The Dutch Harbor shellfish staff, especially Kathleen Herring, was very helpful in issuing and collecting subsistence permits. Dutch Harbor personnel spent considerable time enforcing subsistence fishing regulations. The technical support by Joanne Shaker, Doug Dorner, and Ric Shepard was very much appreciated. A special thanks to Todd Anderson, Iris Caldentey, Alex Bernard Jeff Wadle, and Matt Nemeth for reviewing this publication. We also thank the U.S. Fish and Wildlife Service for providing McLees Lake weir data.

#### REFERENCES CITED

- Honnold S. G., K. A. Bouwens, J. N. McCullough, and S. T. Schrof. 1999. Results of biological assessment and monitoring of anadromous fish at Summer Bay Lake, Unalaska Island, Alaska, 1998: Juvenile and adult fish production following the *M/V Kuroshima* oil spill. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report 4K99-62, Kodiak.
- Holmes P. B. 1995. Atka/Amlia Islands Management Area pink salmon fishery 1992, 1993, 1994. Alaska Department of Fish and Game, Division of Commercial Fisheries Management and Development, Regional Information Report 4K95-09, Kodiak.
- Holmes P. B. 1997. Aleutian Islands Salmon 1982 stock assessment survey and current status. Alaska Department of Fish and Game, Division of Commercial Fisheries Management and Development, Regional Information Report 4K97-6, Kodiak.
- McCullough, J. N. 2000. Biological assessment and monitoring of anadromous fish at Summer Bay Lake, Unalaska Island, Alaska, 1999: Juvenile and adult fish production two years following the *M/V Kuroshima* oil spill: final report. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report 4K00-63, Kodiak.
- Palmer, D. E. 1995. Survey of fisheries resources on Adak Island, Alaska Maritime National Wildlife Refuge, 1993 and 1994. U.S. Fish and Wildlife Service, Technical Report Number 29, Kenai.
- Palmer, D. E. 2003. Estimation of the sockeye salmon escapement into McLees Lake, Unalaska Island, Alaska, 2002. U.S. Fish and Wildlife Service, Alaska Fisheries Data Series Number 2003-4, Kenai.
- Simenstad, C. A., J. S. Isakson, and R. E. Nakatani. 1977. Marine fish communities [in] M.L. Merritt and R.G. Fuller eds. The environment of Amchitka Island, Alaska. United States Energy Research and Development Administration, Technical Information Document 26712, Oak Ridge.
- Shaul, A. R., and J. J. Dinnocenzo. 2004. Aleutian Islands and Atka-Amlia Islands management areas annual report, 2003. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report 4K04-37, Kodiak.
- Shaul, A. R., and J. J. Dinnocenzo. 2005. Annual summary of the commercial and subsistence salmon fisheries for the Alaska Peninsula, Aleutian Islands, and Atka-Amlia Islands Areas, 2004. Alaska Department of Fish and Game, Division of Commercial Fisheries, Fishery Management Report No. 05-33, Anchorage.
- Valdez, R. T., W. T. Helm, and J. M. Neuhold. 1977. Aquatic ecology [in] M.L. Merritt and R.G. Fuller eds. The environment of Amchitka Island, Alaska. United States Energy Research and Development Administration, Technical Information Document 26712, Oak Ridge.
- Veltre, D. W, and M. J. Veltre. 1981. Resource Utilization in Unalaska, Aleutian Islands, Alaska. Alaska Department of Fish and Game, Division of Subsistence Technical Paper No. 58, Juneau.
- Veltre, D. W, and M. J. Veltre. 1983. Resource Utilization in Atka, Aleutian Islands, Alaska. Alaska Department of Fish and Game, Division of Subsistence Technical Paper No. 88, Juneau.

**TABLES AND FIGURES** 

Table 1.—Aleutian Islands Area (excluding Atka-Amlia Islands Area) commercial salmon harvests in numbers of fish by year, 1911-2009.

Year	Permits	Landings	Chinook	Sockeye	Coho	Pink	Chum	Total
1911			0	9,300	0	0	0	9,300
1912-1915			0	0	0	0	0	0
1916			0	76,500	1,200	180,300	100	258,100
1917			0	70,400	3,800	600	23,100	97,900
1918			0	55,200	4,400	75,600	135,200	270,400
1919			0	3,900	800	4,000	0	8,700
1920			0	10,100	2,800	0	0	12,900
1921			0	0	0	0	0	0
1922			0	14,000	0	0	0	14,000
1923			0	0	0	0	0	0
1924			0	24,900	0	673,800	100	698,800
1925			0	18,600	0	3,800	9,100	31,500
1926			0	1,300	0	521,700	7,800	530,800
1927			0	17,300	0	334,600	0	351,900
1928-1950 <sup>a</sup>				,		,		0
1951			0	11,700	400	500	94,500	107,100
1952			200	42,800	0	31,800	25,700	100,500
1953			0	4,200	500	69,200	800	74,700
1954			0	6,300	800	566,500	200	573,800
1955			0	12,600	100	31,100	400	44,200
1956			0	400	0	33,900	0	34,300
1957			2,300	27,300	100	500	13,900	44,100
1958			0	300	0	613,200	3,700	617,200
1959			0	6,100	0	12,000	100	18,200
1960			0	7,600	0	444,900	300	452,800
1961			0	2,700	0	94,000	200	96,900
1962			0	5,500	100	2,001,700	1,200	2,008,500
1963			0	4,500	0	93,900	300	98,700
1964			0	200	0	194,100	2,300	196,600
1965			0	0	0	0	0	0
1966			0	1,000	0	63,500	700	65,200
1967			0	200	0	7,900	0	8,100
1968			0	2,000	100	902,800	800	905,700
1969			0	1,900	0	242,200	1,500	245,600
1970	45	361	6	208	135	644,121	3,029	647,499
1971	11	105	0	333	2	45,114	58	45,507
1972	8	28	0	69	1	2,784	6	2,860
1973 <sup>b</sup>	O	20	O	0)	1	2,704	O	2,000
	0	0	0	0	0	0	•	0
1974	0	0	0	0	0	0	0	0
1975	5	6	0	19,402	0	659	1,881	21,942
1976-1977	0	0	0	0	0	0	0	0
1978	6	32	0	1,829	0	38,109	6	39,944
1979	10	124	0	12,206	0	539,393	242	551,841
1980	28	263	2	9,226	2	2,597,461	4,874	2,611,565
1981	16	85	16	5,430	188	302,786	6,553	314,973

Table 1.–Page 2 of 2.

Year	Permits	Landings	Chinook	Sockeye	Coho	Pink	Chum	Total
1982	15	164	0	2,672	28	1,447,818	6,148	1,456,666
1983	b	b	0	4,405	0	2,005	11,361	17,771
1984	37	281	26	67,163	1,923	2,309,665	32,025	2,410,802
1985 <sup>b</sup>								
1986	9	31	11	7,702	60	42,621	38,819	89,213
1987	b	b	0	75	0	0	0	75
1988	b	b	0	4,315	7	183,109	450	187,881
1989	b	b	0	8,248	0	6,700	0	14,948
1990	15	49	2	12,435	74	282,823	1,038	296,372
1991 <sup>b</sup>				ŕ		ŕ	•	•
1992	4	20	0	3,082	0	312,072	1,230	316,384
1993	0	0	0	0	0	0	0	0
1994	10	64	0	47	6	858,787	617	859,457
1995-1999	0	0	0	0	0	0	0	0
2000 b								
2001-2005	0	0	0	0	0	0	0	0
2006	3	43	0	2,329	0	991,687	1,534	995,550
2007 <sup>b</sup>								
2008	4	44	1	29	48	784,828	261	785,167
2009	6	89	0	703	16	1,625,910	2,005	1,628,634
Odd-Year A	verage Pink	Harvest, 1989	D-2007			102,386		
Even-Year A	verage Pinl	k Harvest, 199	0-2008			348,625		

a The Aleutian Islands catches cannot be separated from those of the Alaska Peninsula Area during 1928-1950.
 b Confidentiality rules prohibit the release of this information.

Table 2.-Atka-Amlia Islands Area commercial salmon harvests in numbers of fish, by year, 1992-2009.

Year	Permits	Landings	Chinook	Sockeye	Coho	Pink	Chum	Total
1992	13	41	0	231	42	7,972	308	8,553
1993	9	10	0	24	4	145	563	736
1994	6	7	0	16	0	896	0	912
1995	0	0	0	0	0	0	0	0
1996	a	a	0	0	0	20	0	20
1997-2009	0	0	0	0	0	0	0	0

<sup>&</sup>lt;sup>a</sup> Confidentiality rules prohibit the release of this information.

Table 3.–Estimated subsistence harvest for Unalaska Island, 1985-2009.

	Permits	Permits						
Year	Issued	Returned	Chinook	Sockeye	Coho	Pink	Chum	Total
TT 1 1 T	1.0	'. D. '1	, a					
		nity Residen		907	200	1 202	20	2 410
1985 1986	65 121	28 22	0	897 3 440	208 847	1,293 2,468	20 275	2,418 7,139
1980	81	49	0	3,449 1,097		1,780	375 151	
1988	74	43	1	962	378 390	2,626	151 83	3,406 4,062
1989	70	43	2	1,064	470	1,292	36	2,864
1990	94	36	4	2,357	681	1,428	100	4,570
1991	89	48	0	1,294	666	1,075	45	3,080
1992	144	102	7	2,739	587	1,723	11	5,067
1993	137	102	17	2,831	697	587	136	4,268
1994	150	120	1	2,759	774	1,053	48	4,635
1995	159	129	23	4,446	480	784	23	5,756
1996	189	123	5	1,107	1,033	492	49	2,686
1997	218	161	8	4,192	864	440	110	5,614
1998	206	161	4	3,317	731	729	26	4,807
1999	208	140	0	2,707	1,327	1,018	13	5,065
2000	205	142	7	3,073	569	315	24	3,988
2001	201	140	4	3,850	563	763	100	5,280
2002	226	156	2	5,267	643	277	63	6,252
2003	220	149	27	4,814	558	408	41	5,848
2004	207	141	4	4,343	792	343	26	5,508
2005	207	123	6	4,210	356	587	15	5,174
2006	193	116	10	1,722	363	745	92	2,932
2007	171	104	16	2,391	207	750	36	3,400
2008	195	117	2	1,833	726	567	115	3,243
2009	205	125	5	3,260	610	444	182	4,501
Average								
1999-2008	203	133	8	3,421	610	577	53	4,669
2004-2008	195	120	8	2,900	489	598	57	4,051
				_				
	e Residents	Not Local To	o The Unala	ıska District				
1985	0	0	0	0	0	0	0	0
1986	0	0	0	0	0	0	0	0
1987	0	0	0	0	0	0	0	0
1988	3	2	2	4	0	1	0	7
1989	4	1	0	48	0	0	0	48
1990	2	1	0	0	0	0	0	0
1991	0	0	0	0	0	0	0	0
1992	0	0	0	0	0	0	0	0
1993	2	0	0	0	0	0	0	0
1994	0	0	0	0	0	0	0	0
1995	1	0	0	38	4	7	0	49
1996	0	0	0	0	0	0	0	0
1997	3	2	0	0	0	114	0	114
1998	0	0	0	0	0	0	0	0

Table 3.–Page 2 of 2.

	Permits	Permits						
Year	Issued	Returned	Chinook	Sockeye	Coho	Pink	Chum	Total
Alaska state	residents n	ot local to th	ne Unalaska	District con	tinued			
1999	3	2	0	0	0	0	0	0
2000	7	6	0	4	1	10	0	15
2001	2	1	0	0	0	0	0	0
2002	5	3	0	0	0	0	0	0
2003	7	7	0	30	0	0	0	30
2004	2	1	0	30	0	0	0	30
2005	10	6	1	23	0	0	0	24
2006	6	3	0	0	0	0	0	0
2007	7	4	0	0	0	0	0	0
2008	9	5	0	0	0	0	0	0
2009	10	5	0	2	10	0	0	12
Average								
1999-2008	6	4	0	9	0	1	0	10
2004-2008	7	4	0	11	0	0	0	11
	. a							
Total Unalas		20	0	007	200	1 202	20	2 410
1985	65	28	0	897	208	1,293	20	2,418
1986	121	22	0	3,449	847	2,468	375	7,139
1987	81	49	0	1,097	378	1,780	151	3,406
1988 1989	77 74	45 42	3 2	966 1,112	390 470	2,627	83 36	4,069
1989	74 96	37	4	2,357	681	1,292 1,428	100	2,912
1990	96 89	48	0	2,337 1,294	666	1,428	45	4,570 3,080
1991	144	102	7	2,739	587	1,073	43 11	5,060
1993	139	102	17	2,739	697	587	136	4,268
1994	150	120	1	2,759	774	1,053	48	4,635
1995	160	129	23	4,484	484	791	23	5,805
1996	189	123	5	1,107	1,033	492	49	2,686
1997	221	163	8	4,192	864	554	110	5,728
1998	206	161	4	3,317	731	729	26	4,807
1999	211	142	0	2,707	1,327	1,018	13	5,065
2000	212	148	7	3,077	570	325	24	4,003
2001	203	141	4	3,850	563	763	100	5,280
2002	231	159	2	5,267	643	277	63	6,252
2003	227	156	27	4,844	558	408	41	5,878
2004	209	142	4	4,373	792	343	26	5,538
2005	217	129	7	4,233	356	587	15	5,198
2006	199	119	10	1,722	363	745	92	2,932
2007	178	108	16	2,391	207	750	36	3,400
2008	204	122	2	1,833	726	567	115	3,243
2009	215	130	5	3,262	620	444	182	4,513
Average								
1999-2008	209	137	8	3,430	611	578	53	4,679
2004-2008	201	124	8	2,910	489	598	57	4,062

<sup>&</sup>lt;sup>a</sup> Harvest estimated by extrapolating the catches from returned permits to the total number of permits issued.

Table 4.–Estimated Unalaska Island subsistence harvests of sockeye and coho salmon by major location, 2009.

			I	Percent of species
Location	Permits <sup>a</sup>	Species	Harvest <sup>a</sup>	Total Harvest
Decree Decouverle	20	G1	1 227	(70/
Reese Bay (Wislow)	39	Sockeye	1,337	67%
		Coho	4	1%
Broad Bay	12	Sockeye	0	0%
		Coho	146	39%
Wide Bay	1	Sockeye	0	0%
wide Bay	1	Coho	10	3%
		Cono	10	3%
Nateeken Bay	4	Sockeye	0	0%
		Coho	9	2%
Captains Bay	14	Sockeye	12	1%
		Coho	80	21%
Unalaska Lake vicinity	22	Sockeye	267	13%
Olidiaska Lake Vicility	22	Coho	62	16%
		Cono	02	1070
Other locations	16	Sockeye	373	19%
		Coho	66	18%
Totals	108 <sup>b</sup>	Sockeye	1,989	100%
		Coho	377	100%

<sup>&</sup>lt;sup>a</sup> The number of successful permit holders and salmon harvested are extrapolated from returned permits.

<sup>&</sup>lt;sup>b</sup> Some permits fished in more than one location.

Table 5.-Adak-Kagalaska islands estimated personal use harvest, 1988-1997 and Adak District estimated subsistence harvest 1998-2009.

	Permits	Permits	Percent						
Year	Issued	Returned	Returned	Chinook	Sockeye	Coho	Pink	Chum	Total
Personal U	Jse <sup>a</sup>								
1988	43	29	67.4%	0	503	23	150	0	676
1989	64	47	73.4%	0	382	0	117	0	499
1990	61	29	47.5%	0	800	47	41	0	888
1991	37	31	83.8%	0	281	6	34	0	321
1992	52	41	78.8%	0	572	30	4	0	606
1993	4	3	75.0%	0	156	0	0	0	156
1994 <sup>b</sup>	0	0	0.0%	0	0	0	0	0	0
1995	4	3	75.0%	0	156	0	0	0	156
1996	6	6	100.0%	0	91	0	0	0	91
1997 <sup>c</sup>	18	12	66.7%	0	229	0	0	4	233
	d								
Average	29	20	69.6%	0	317	11	35	0	363
Subsistence		40	<b>T</b> ( 00 /		200	0	2.5	•	40.4
1998	13	10	76.9%	0	399	0	25	0	424
1999	5	5	100.0%	0	164	4	0	0	168
2000	13	12	92.3%	0	265	4	78	0	347
2001	17	14	82.4%	0	474	19	17	0	510
2002	3	3	100.0%	0	150	0	0	0	150
2003	6	5	83.3%	0	363	0	0	0	363
2004	6	4	66.7%	0	336	0	0	0	336
2005	2	2	100.0%	0	188	0	0	0	188
2006	1	1	100.0%	0	74	0	1	0	75
2007	9	6	66.7%	0	488	3	38	0	529
2008	10		60.0%	0	397	0	19	0	416
2009	1	1	100.0%	0	25	0	0	0	25
1999-2008 Average	7	6	1	0	290	3	15	0	308
11 verage		0	1	U	270		13	U	500

<sup>&</sup>lt;sup>a</sup> Harvest estimated by extrapolating the reported catches on returned permits to the total number of permits

b U.S. Navy personnel reduced at Adak, personal use permits not requested.
 c In 1997, a substantial number of civilians were hired by the Navy to work in a cleanup effort at Adak.

d Average includes 1994.

Table 6.-Summer Bay Lake annual weir counts of salmon, by species and year, 1998-2001.

	_		Num	ber of Fish <sup>a</sup>		
Year	Dates of Operation	Chinook	Sockeye	Coho	Pink	Chum
1998	6/12 - 10/3	0	2,641	101	7,290	0
1999	5/30 - 9/9	0	3,375	20	2,250	0
2000	6/4 - 10/5	1	2,905	401	7,918	0
2001	6/1 - 9/11	0	5,388	23	4,114	0
Weir disc	continued					

<sup>&</sup>lt;sup>a</sup> Does not include estimates of salmon escapement before or after weir operations.

Table 7.-McLees Lake annual weir counts of salmon by species and year, 2001-2009.

	_	Number of Fish <sup>a</sup>							
Year	Dates of Operation	Chinook	Sockeye	Coho	Pink	Chum			
2001	6/15 - 7/30	1	45,866	1	0	0			
2002	6/1 - 7/29	1	97,780	0	0	0			
2003	5/30 - 7/28	0	101,793	0	19	0			
2004	6/1 - 7/24	0	40,328	0	1	3			
2005	5/29 - 7/26	0	12,066	0	3	1			
2006	5/30 - 7/28	0	12,936	0	268	0			
2007	6/1 - 7/28	1	21,428	2	2	0			
2008	5/30 - 7/20	1	8,661	8	25	0			
2009	6/1 - 7/19	0	10,120	0	2	289			

<sup>&</sup>lt;sup>a</sup> Does not include estimates of salmon escapement before or after weir operations.

Table 8.-Sockeye salmon daily and cumulative escapement counts through McLees Lake weir, 2009.

	Daily	Cumulative		Daily	Cumulative
Date	Count	Count	Date	Count	Count
30-May		0	9-Jul	69	7,889
31-May		0	10-Jul	172	8,061
1-Jun	1	1	11-Jul	354	8,415
2-Jun	3	4	12-Jul	232	8,647
3-Jun	0	4	13-Jul	203	8,850
4-Jun	6	10	14-Jul	395	9,245
5-Jun	27	37	15-Jul	43	9,288
6-Jun	0	37	16-Jul	37	9,325
7-Jun	3	40	17-Jul	14	9,339
8-Jun	24	64	18-Jul	31	9,370
9-Jun	26	90	19-Jul	750	10,120
10-Jun	0	90			
11-Jun	14	104			
12-Jun	20	124			
13-Jun	2	126			
14-Jun	23	149			
15-Jun	35	184			
16-Jun	6	190			
17-Jun	2	192			
18-Jun	115	307			
19-Jun	53	360			
20-Jun	25	385			
21-Jun	23	408			
22-Jun	0	408			
23-Jun	48	456			
24-Jun	0	456			
25-Jun	0	456			
26-Jun	0	456			
27-Jun	41	497			
28-Jun	15	512			
29-Jun	20	532			
30-Jun	238	770			
1-Jul	38	808			
2-Jul	4752	5,560			
3-Jul	38	5,598			
4-Jul	307	5,905			
5-Jul	1584	7,489			
6-Jul	105	7,594			
7-Jul	15	7,609			
8-Jul	211	7,820			

Note: This weir was funded and operated by U. S. Fish and Wildlife Service.

Table 9.–Unalaska Lake and Creek peak salmon escapement estimates in number of fish, 1961-2009.

	Peak Estimate <sup>a</sup>								
Year	Sockeye	Coho	Pink						
1961	0	0	3,400						
1962	0	0	1,500						
1963	0	0	1,600						
1964	-	-	-						
1965	-	-	-						
1966	-	-	-						
1967	-	-	-						
1968	500	0	1,000						
1969	-	-	-						
1970	250	0	2,850						
1971	0	0	150						
1972	200	0	400						
1973	400	0	500						
1974	0	0	1,400						
1975	200	0	3,500						
1976	-	-	-						
1977	400	0	6,600						
1978	0	0	4,500						
1979	300	0	1,700						
1980	100	0	3,000						
1981	100	0	1,500						
1982	150	0	16,000						
1983	50	0	900						
1984	0	0	22,600						
1985	0	0	3,500						
1986	0	0	6,500						
1987	400	0	7,100						
1988	0	0	31,500						
1989	0	0	2,926						
1990	0	0	13,000						
1991	3 <sup>b</sup>	1 <sup>b</sup>	7,193						
1992	0	0	9,000						
1993	0	0	10,200						
1994	41	0	11,000						
1995	255	0	5,199						
1996	250	0	7,500						
1997	330	0	12,300						
1998	800	355	5,600						
1999	1,250	61	3,936						
2000	300	0	24,200						
2001	1,000	0	6,000						
2002	500	0	11,000						
2003	750	68	25,000						

Table 9.–Page 2 of 2.

	Peak Estimate <sup>a</sup>							
Year	Sockeye	Coho	Pink					
2004	3,000	80	1,530					
2005	9 <sup>b</sup>	35 <sup>b</sup>	4,212					
2006	12 <sup>b</sup>	6 <sup>b</sup>	4,250					
2007 <sup>c</sup>								
2008 <sup>c</sup>								
2009 <sup>c</sup>								
1999-2008 Average	853	50	10,016					

*Note:* "-" = No data.

<sup>&</sup>lt;sup>a</sup> Estimates are based on the highest observed escapement during all surveys conducted that year.

b Surveys not done at optimum times for all species

<sup>&</sup>lt;sup>c</sup> No survey conducted.

Table 10.-Estimated salmon escapement from aerial and foot surveys in the Aleutian Islands Area, 2009.

Stream	Visi-				Species			
Date Observer	Location	bility	Chinook	Sockeye	Coho	Pink	Chum	Observer Remarks
Cannery Bay, 302-1411								
07/30/2009	Stream	E	0	0	0	1,000	0	
Aaron Poetter / Matt Keyse	Mouth	E	0	0	0	1,000	0	
	Bay	E	0	0	0	0	0	
Portage Bay #4, 302-1412								
07/30/2009	Stream	E	0	0	0	0	0	
Aaron Poetter / Matt Keyse	Mouth	E	0	0	0	0	0	
	Bay	Е	0	0	0	0	0	
Portage Bay #3, 302-1413								
07/30/2009	Stream	Е	0	0	0	2,500	0	
Aaron Poetter / Matt Keyse	Mouth	Е	0	0	0	0	0	
	Bay	Е	0	0	0	0	0	
Portage Bay #2, 302-1414								
07/30/2009	Stream	E	0	0	0	0	0	
Aaron Poetter / Matt Keyse	Mouth	Е	0	0	0	0	0	
	Bay	Е	0	0	0	0	0	
Portage Bay #1, 302-1415								
07/30/2009	Stream	E	0	0	0	0	0	
Aaron Poetter / Matt Keyse	Mouth	Е	0	0	0	0	0	
	Bay	Е	0	0	0	0	0	

Table 10.-Page 2 of 2.

Stream	,	Visi-			Species			
Date Observer	Location 1	bility	Chinook	Sockeye	Coho	Pink	Chum	Observer Remarks
Humpback Bay #1, 302-1416								
07/30/2009	Stream	E	0	0	0	69,000	0	
Aaron Poetter / Matt Keyse	Mouth	E	0	0	0	0	0	
	Bay	Е	0	0	0	0	0	
Humpback Bay #2, 302-1417								
07/30/2009	Stream	E	0	0	0	56,000		
Aaron Poetter / Matt Keyse	Mouth	E	0	0	0	0	0	
	Bay	E	0	0	0	10,000	0	
Glacier Valley, 302-1418								
07/30/2009	Stream	E	0	0	0	3,000	0	
Aaron Poetter / Matt Keyse	Mouth	E	0	0	0	4,000	0	
	Bay	E	0	0	0	0	0	
Makushin Valley, 302-4003								
07/30/2009	Stream	E	0	0	0	26,000	0	
Aaron Poetter / Matt Keyse	Mouth	E	0	0	0	5,000	0	
	Bay	Е	0	0	0	0	0	
Nateekin River, 302-4005								
07/30/2009	Stream	E	0	0	0	3,000	0	
Aaron Poetter / Matt Keyse	Mouth	Е	0	0	0	0	0	
	Bay	Е	0	0	0	0	0	




Figure 1.—Map of the Aleutians Islands and Alaska Peninsula salmon management areas (Area M), and the Atka-Amlia Islands Management Area (Area F).




Figure 2.-Map of the Atka-Amlia Management Area from Seguam Pass to Atka Pass, with statistical salmon fishing areas shown.




Figure 3.-Map of the Aleutian Islands Management Area from Unimak Pass to Umnak Island, with statistical salmon fishing areas shown.




Figure 4.-Map of Unalaska Bay vicinity.